



KBD-BVR-100

Article-No.: 72909

System Keyboard with 3-Axis
Joystick for BCR Series DVR's,
12VDC

Mainfeatures

Controls up to 255 DVRs of BCR series
Multiple protocol supported in each channel
Built-in 3-axis proportional joystick
Built-in 2 lines character LCD display
DVR interface

PTZ control through DVR by RS-422/RS-485
Programmable presets, tours, patterns and others
Easy upload programmed data
Programmable transmission speed for each ID
User password support


Specifications

Operation Mode	Single operation
Video input	-
Audio inputs	-
Joystick	3-axis proportional joystick for manual control of variable speed
Multiplexer/camera control	up to 255 cameras
Site control (direct mode operation)	Camera select keys. Operate presets, patterns, auxiliaries, and sequences. Camera functions: pan, tilt, zoom, focus, for variable speed control
Baud rate	2400, 4800, 9600 and up to 57,600 Baud
Control functions	Joystick: Pan/tilt/zoom/menu operation, Key switches: Zoom /focus (Iris Open/Close: via F buttons), DVR control
Protocols	Fastrax IIE, Pelco P&D, BCR DVR series (supported in each channel)
Interface	RS-485 (Camera and DVR), USB 2.0
LCD display	16x2 characters
Password protection	included
Supply voltage	12VDC +/-10% (Power supply unit included)

Specifications (continued)

Power consumption	1.7W
Colour	black
Temperature range	0°C ~ +45°C
Dimensions (HxWxD)	see drawing
Weight	0.73kg
Parts supplied	PSU 100-240V/12VDC with power cord, USB cable, manual
Certificates	CE

Technical Drawing



Maße/Dimensions: mm



Your partner for eneo products:

